Designed by Future

Netherland

TCA-4810 USB Webcam / TCA-4810 USB Webcam



Techsolo Europa B.V. | 2006

Produktbeschreibung ■
Product description ■

TCA-4810




Designed by Future

Techsolo B.V. Anholtseweg 38 7091 HB Dinxperlo

Netherland

Tel.: 0031 - 315 - 657 060 Fax: 0031 - 315 - 657 068

www.techsolo.com info@techsolo.com



high resolution

Form follows function! Compact and small! The TCA-4810 from techsolo provides maximum quality in small size! It has a resolution of 800x600 pixel and a colour depth of 24 Bit. It is equipped with a CMOS image sensor and it has a focus range of 5 cm to infinite. See the quality of this product yourself.

Technical data:

· Picture sensor: CMOS

· Resolution: 800x600 at 24 Bit colour depth

Focus range: minimum: 5 cmConnection through USB

· Data: 320*240 30F/s,640*480 15F/s

· Plug&Play

· Supports Windows 98/ME/2000/XP

Package contnet:

- · Webcam
- · basis
- · Driver CD

Logistic data:

measures: 120x80x30 mm

packing measures: 275x190x75 mm weight: 18,6 kg per packing unit

packing unit: 30 pcs

packing units per palette: 12

Disclaimer:

The pictures of the product can be different from the product itself. The court of law is impossible. You don't have the right to claim on anything by this data sheet. If you are using this sheet you agree to these conditions.



Designed by Future

Techsolo B.V. Anholtseweg 38 7091 HB Dinxperlo

Netherland

Tel.: 0031 - 315 - 657 060 Fax: 0031 - 315 - 657 068

info@techsolo.com



TCA-4810 USB 2.0 Webcam

Hohe Auflösung

Form follows function! Ausgestattet mit der neuesten Technik, bietet die Webcam TCA-4810 eine gestochen scharfe, hochauflösende Bildqualität vom Allerfeinsten. Mit der multifunktionalen Arretierung lässt sich die Webcam nahezu überall befestigen. Bildsensor: CMOS Auflösung: 800x600 mit 24 Bit Farbtiefe Aufnahmeabstand: mindestens 5 cm bis unendlich!

Technische Daten:

· Picture sensor: CMOS

· Resolution: 800x600 at 24 Bit colour depth

· Focus range: minimum: 5 cm · Connection through USB

· Data: 320*240 30F/s,640*480 15F/s

· Plug&Play

· Supports Windows 98/ME/2000/XP

Lieferumfang:

- · Webcam
- · basis
- · Driver CD

Logistische Daten:

Abmessungen: 120x80x30 mm

Abmessungen Verpackung: 275x190x75 mm

Gewicht: 18,6 kg pro VPE Verpackungseinheit: 30 Stück

Verpackungseinheiten auf Palette: 12

Disclaimer:

Die Abbildungen können vom Original abweichen. Sie können durch dieses Datenblatt keinerlei Ansprüche geltend machen. Der Rechtsweg ist ausgeschlossen. Wenn Sie dieses Datenblatt verwenden, so stimmen Sie diesen Vereinbarungen zu.

